Ref #	Hits	Search Query	DBs .	Default Operator	Plurals	Time Stamp
L1	. 374	(359/391).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/05/25 15:18
-2	191	(359/392).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/05/25 15:18
.3	270	(359/393).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/05/25 15:18
-4	75	(359/394).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/05/25 15:18
.5	1872	((359/368) or (359/362) or (359/382)). <i>COLS</i> .	US-PGPUB; USPAT; USOCR	OR	OFF	2007/05/25 15:18
-6	68	L5 and microscop\$ and ((rack near4 pinion\$2) or (belt\$2 near4 pulley\$2)) and ((stage\$3 or assembl\$3) with (driv\$4 or adjust\$4 or manual\$))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	ON	2007/05/25 15:19
		·	IBM_TDB			
-7	81	L5 and microscop\$ and ((rack near4 pinion\$2) or (belt\$2 near4 pulley\$2)) and ((stage\$3 or driv\$4 or assembl\$3) with (adjust\$4 or manual\$ or translat\$4 or slid\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/05/25 15:19
			: IBM_TDB			
.8	70	L5 and microscop\$ and ((rack near4 pinion\$2) or (belt\$2 near4 pulley\$2)) and (stage\$3 or driv\$4 or assembl\$3) and (shaft\$2 with (adjust\$4 or manual\$ or translat\$4 or slid\$4 or rotat\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/05/25 15:19
			; IBM_TOB			
L9 .	52	L5 and microscop\$ and (((rack near4 pinion\$2) or (belt\$2 near4 pulley\$2)) same shaft\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/05/25 15:19
	:	·	IBW_TOB			,
.10	172	((359/391) or (359/392) or (359/393) or (359/394)). <i>CC</i> LS.	EPO; JPO; DERWENT	OR	OFF	2007/05/25 15:19
			IBW_LDB			
L11	29	L5 and microscop\$ and ((stage\$3 or assembl\$3) with (driv\$4 or adjust\$4 or manual\$ or mechanism\$2) with (detach\$4 or remov\$4 or disengag\$))	US-P6PUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/05/25 15:19
•			1	i .	1	I

5/25/2007 7:33:58 PM Page 1

L12	532	L5 and microscop\$ and ((stage\$3 or assembl\$3 or platform\$3) with (driv\$4 or adjust\$4 or manual\$ or mechanism\$2 or knob\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO;	OR	ON	2007/05/25 15:19
	,		DERWENT ; IBM_TDB			
51	3	(("4619503") or ("5552321") or ("6018415")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/28 15:20
52	359	(359/391).CQ.S.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/28 17:34
53	184	(359/392).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/28 20:21
54	260	(359/393).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/28 20:51
,S6	1644	((359/368) or (359/362) or (359/382)).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/28 17:34
S7	74	(359/394). <i>CC</i> LS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/29 12:34
58	1644	((359/368) or (359/362) or (359/382)).CQLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/29 11:53
S9	62	S8 and microscop\$ and ((rack near4 pinion\$2) or (belt\$2 near4 pulley\$2)) and ((stage\$3 or assembl\$3) with (driv\$4 or adjust\$4 or manual\$))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/29 12:06
			IBM_TDB			•
510	74	58 and microscop\$ and ((rack near4 pinion\$2) or (belt\$2 near4 pulley\$2)) and ((stage\$3 or driv\$4 or assembl\$3) with (adjust\$4 or manual\$ or translat\$4 or slid\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/29 12:19
			IBM_TDB			*
S11	66	58 and microscop\$ and ((rack near4 pinion\$2) or (belt\$2 near4 pulley\$2)) and (stage\$3 or driv\$4 or assembl\$3) and (shaft\$2 with (adjust\$4 or manual\$ or translat\$4 or slid\$4 or rotat\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/29 12:24
		·	; IBM_TDB	'		
512	47	S8 and microscop\$ and (((rack near4 pinion\$2) or (belt\$2 near4 pulley\$2)) same shaft\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/29 12:25
			IBM_TDB			

			1	ī	1	T
S13	1175	microscop\$ and (((rack near4 pinion\$2) or (belt\$2 near4 pulley\$2)) same shaft\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/29 18:04
			IBW_TDB		1	
514	916	S13 and ((stage\$3 or driv\$4 or assembl\$3) with (adjust\$4 or manual\$ or translat\$4 or slid\$4 or rotat\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/29 12:27
		·	IBM_TDB			
S15	639	S13 and ((stage\$3 or driv\$4 or assembl\$3) with (adjust\$4 or manual\$ or translat\$4 or slid\$4 or rotat\$4) with shaft\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/29 13:06
			; IBM_TDB			
S16	20	S15 and (spring\$3 with ball\$2 with bearing\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ОИ	2006/03/29 12:33
			IBM_TDB			·
S17	172	((359/391) or (359/392) or (359/393) or (359/394)). <i>CC</i> LS.	EPO; JPO; DERWENT	OR .	OFF	2006/03/29 12:36
		•	IBW_LDB			
518	14	S13 and (mechanic\$4 with (stage or assembl\$3) with driv\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/29 13:12
			; IBM_TDB			
519	89	(mechanic\$4 with (stage or assembl\$3) with driv\$4) same microscop\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/29 13:49
		•	IBW_TOB .			
520	1779	microscop\$ and ((knob\$2 or handl\$3 or device\$2) with (stage or assembl\$3) with driv\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/29 13:50
			: IBM_TDB			
521	91	520 and shaft\$2 and ((rack near4 pinion\$2) or (belt\$2 near4 pulley\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR .	ON	2006/03/29 14:05
			IBW_LOB			

522	9	520 and shaft\$2 and (ball\$2 with bearing\$2 with spring\$4)	US-PGPUB; USPAT;	OR	ON	2006/03/29 16:41
			USOCR; EPO; JPO; DERWENT			10.41
			IBW_TOB			
S23	1	("20030169492").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/29 17:41
S24	0	WO-200423173-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/29 17:41
			IBM_TDB			
525	0	WO-0423173-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/29 17:41
			IBW_TDB			
526	98	(US-20050128575-\$ or US-20050111095-\$ or US-20050111094-\$ or US-20050111093-\$ or US-20030169492-\$ or US-20030019310-\$ or US-20020093734-\$ or US-20020080479-\$ or US-20020034003-\$ or US-20050111096-\$).did. or (US-6018415-\$ or US-5552321-\$ or US-4619503-\$ or US-6920803-\$ or US-6788458-\$ or US-6690512-\$ or US-6563635-\$ or US-6504648-\$ or US-6373627-\$ or US-6369940-\$ or US-6341037-\$ or US-5684628-\$ or US-6266184-\$ or US-5768013-\$ or US-4609264-\$ or US-5684628-\$ or US-5672816-\$ or US-4919001-\$ or US-4609264-\$ or US-4538885-\$ or US-4405202-\$ or US-4277133-\$ or US-4012111-\$ or US-3862793-\$ or US-3701199-\$ or US-2857809-\$).did. or (US-2655078-\$ or US-2535128-\$ or US-4711537-\$ or US-3652146-\$ or US-5771749-\$ or US-5365801-\$ or US-4711537-\$ or US-562146-\$ or US-3019707-\$ or US-6049420-\$ or US-5969857-\$ or US-5900708-\$ or US-5828198-\$ or US-5802925-\$ or US-5627442-\$ or US-5497060-\$ or US-5459384-\$ or US-4772109-\$ or US-4824229-\$ or US-4803892-\$ or US-4772109-\$ or US-4402576-\$ or US-4700585-\$ or US-4615592-\$ or US-4752033-\$ or US-4402576-\$ or US-499440-\$).did. or (US-4262991-\$ or US-4189953-\$ or US-4097116-\$ or US-3572888-\$ or US-3428387-\$ or US-2474163-\$ or US-2857809-\$ or US-2325239-\$ or US-2148908-\$ or US-703047-\$ or US-0588689-\$ or US-2335957-\$ or US-4712890-\$ or US-4704013-\$ or US-4861592-\$ or US-239597-\$ or US-4712890-\$ or US-4704013-\$ or US-2857809-\$ or US-2499970-\$ or US-3328387-\$ or US-3397656-\$ or US-2857809-\$ or US-2490970-\$ or US-3328387-\$ or US-3397656-\$ or US-2857809-\$ or US-2490970-\$ or US-3428387-\$ or US-3397656-\$ or US-2857809-\$ or US-2490970-\$ or US-3428387-\$ or US-3397656-\$ or US-2857809-\$ or US-2490970-\$ or US-3474163-\$).did. or (EP-500106-\$ or DE-3528615-\$ or US-3428387-\$ or US-3397656-\$ or US-2857809-\$ or US-2490970-\$ or US-2474163-\$).did. or (EP-500106-\$ or DE-3528615-\$ or US-3909620-\$).did. or (DE-19528041-\$).did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ÖR .	ON ·	2006/03/29 18:04
S27	13	S26 and (rack near4 pinion\$2) and (belt\$2 near4 pulley\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/29 18:30
1 1			.			1

				T	T	T
S28	. 26	S26 and (ball with bearing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/29
			IBW_LDB			
529	4	S26 and (spring\$4 with ball with bearing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/29 18:48
			IBM_TDB			
530	57	S26 and spring\$4	US-PGPUB: USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/29 18:49
	•		; IBM_TDB			
531	35	S26 and spring\$4 and ball	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/29 19:00
			: IBM_TDB			
532	247	microscop\$ and (spring\$4 with ball\$2 with bearing\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/29 19:02
		·	: IBM_TDB			
S33	247	microscop\$ and ((spring\$4 or spring?load\$4 or (spring\$4 near3 load\$4)) with ball\$2 with bearing\$2)	US-P6PUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/29 19:03
			: IBM_TDB			
534	364	(359/391).CCL.S.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/23 14:17
535	187	(359/392).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/23 14:17
536	263	(359/393).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/23 14:17
537	75	(359/394).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/23 14:18
538	1731	((359/368) or (359/362) or (359/382)).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/23 14:18

539	66	S38 and microscop\$ and ((rack near4 pinion\$2) or (belt\$2 near4 pulley\$2)) and ((stage\$3 or assembl\$3) with (driv\$4 or adjust\$4 or manual\$))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/08/23 15:14
			. IBM_TDB			
540	79	538 and microscop\$ and ((rack near4 pinion\$2) or (belt\$2 near4 pulley\$2)) and ((stage\$3 or driv\$4 or assembl\$3) with (adjust\$4 or manual\$ or translat\$4 or slid\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/08/23 14:18
			; IBM_TDB			
541	69	S38 and microscop\$ and ((rack near4 pinion\$2) or (belt\$2 near4 pulley\$2)) and (stage\$3 or driv\$4 or assembl\$3) and (shaft\$2 with (adjust\$4 or manual\$ or translat\$4 or slid\$4 or rotat\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/08/23 14:19
			: IBM_TDB			
542	51	538 and microscop\$ and (((rack near4 pinion\$2) or (belt\$2 near4 pulley\$2)) same shaft\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/08/23 14:19
			IBM_TDB			
543	172	((359/391) or (359/392) or (359/393) or (359/394)).CCLS.	EPO; JPO; DERWENT	OR	OFF	2006/08/23 14:20
			IBM_TDB			
544		S38 and microscop\$ and ((stage\$3 or assembl\$3) with (driv\$4 or adjust\$4 or manual\$ or mechanism\$2) with (detach\$4 or remov\$4 or disengag\$))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/08/23
			; IBM_TDB			
S45	1338	microscop\$ and ((stage\$3 or assembl\$3) with (driv\$4 or adjust\$4 or manual\$ or mechanism\$2) with (detach\$4 or remov\$4 or disengag\$))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/08/23 16:36
			IBW_TOB			
S46	95	S45 and (rack\$2 with pinion\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR .	ON	2006/08/23 16:13
			; IBM_TDB			
S47	87	S45 and (belt\$2 with pulley\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/08/23 16:26
			IBM_TOB			

548	26	S45 and (spring\$3 with ball with bearing\$2)	US-PGPUB; USPAT;	OR	ON	2006/08/23 16:26
-	!		USOCR; EPO; JPO;			
			DERWENT			
549	2507	microscop\$ and ((stage\$3 or assembl\$3) with (driv\$4 or adjust\$4 or manual\$ or mechanism\$2)) and ((secur\$4 or attach\$4) with locat\$4)	US-PGPUB; US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/08/23
		÷	IBM_TDB			
S50	573	(microscop\$ same ((stage\$3 or assembl\$3) with (driv\$4 or adjust\$4 or manual\$ or mechanism\$2))) and ((secur\$4 or attach\$4) with locat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/08/23 16:35
			IBW_TDB	-		
S51	142	microscop\$ and ((stage\$3 or assembl\$3) with (driv\$4 or adjust\$4 or manual\$ or mechanism\$2) with (detach\$4 or remov\$4 or disengag\$)) and (set?screw\$2 or setscrew\$2 or (set near3 screw\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR .	ON	2006/08/23
		,	IBM_TOB		·	
S52	371	(359/391).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/12/14 13:57
S53	189	(359/392).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/12/14 13:57
S54	267	(359/393).CCLS.	US-P6PUB; USPAT; USOCR	OR	OFF	2006/12/14 13:57
S55	75	(359/394).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/12/14 13:57
S56	1793	((359/368) or (359/362) or (359/382)). <i>CC</i> LS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/12/14 13:57
S57	66	S56 and microscop\$ and ((rack near4 pinion\$2) or (belt\$2 near4 pulley\$2)) and ((stage\$3 or assembl\$3) with (driv\$4 or adjust\$4 or manual\$))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/12/14 13:57
		·	IBM_TOB			
S58	79	S56 and microscop\$ and ((rack near4 pinion\$2) or (belt\$2 near4 pulley\$2)) and ((stage\$3 or driv\$4 or assembl\$3) with (adjust\$4 or manual\$ or translat\$4 or slid\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/12/14 13:57
			; IBM_TDB			

559	69	S56 and microscop\$ and ((rack near4 pinion\$2) or (belt\$2 near4	US-PGPUB;	OR	ON	2006/12/14
		pulley\$2)) and (stage\$3 or driv\$4 or assembl\$3) and (shaft\$2 with (adjust\$4 or manual\$ or translat\$4 or slid\$4 or rotat\$4))	USPAT; USOCR; EPO; JPO; DERWENT			13:58
			IBM_TDB			
S60	51	S56 and microscop\$ and (((rack near4 pinion\$2) or (belt\$2 near4 pulley\$2)) same shaft\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/12/14 13:58
			IBM_TDB			
S61	172	((359/391) or (359/392) or (359/393) or (359/394)). <i>CC</i> LS.	EPO; JPO; DERWENT	OR .	OFF	2006/12/14 13:58
			IBM_TDB			
562	27	S56 and microscop\$ and ((stage\$3 or assembl\$3) with (driv\$4 or adjust\$4 or manual\$ or mechanism\$2) with (detach\$4 or remov\$4 or disengag\$))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/12/14 14:57
			IBW_TDB			
S63	508	S56 and microscop\$ and ((stage\$3 or assembl\$3 or platform\$3) with (driv\$4 or adjust\$4 or manual\$ or mechanism\$2 or knob\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/12/14 19:15
			IBM_TDB			
564	2920	microscop\$ and ((stage\$3 or assembl\$3 or platform\$3) with (driv\$4 or adjust\$4 or manual\$ or mechanism\$2 or knob\$2)) and ((sampl\$3 or specimen\$2) near4 hold\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/12/14 17:49
			IBM_TDB			
S65	261	(microscop\$ with ((stage\$3 or assembl\$3 or platform\$3) with (driv\$4 or adjust\$4 or manual\$ or mechanism\$2 or knob\$2))) and ((sampl\$3 or specimen\$2) near4 hold\$4) and screw\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/12/14 17:50
			; IBM_TDB			
S66	205	(microscop\$ with ((stage\$3 or assembl\$3 or platform\$3) with (driv\$4 or adjust\$4 or manual\$ or mechanism\$2 or knob\$2))) and (detach\$4 with (attach\$4 or secur\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/12/14 19:53
			: IBM_TDB			
S67	30	(microscop\$ with ((stage\$3 or assembl\$3 or platform\$3) with (driv\$4 or adjust\$4 or manual\$ or mechanism\$2 or knob\$2))) and (belt\$3 with pulley\$2) and (rack\$3 with pinion\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/12/14 20:02
			IBM_TDB			

568	1250	(microscop\$ with ((stage\$3 or assembl\$3 or platform\$3) with (driv\$4 or adjust\$4 or manual\$ or mechanism\$2 or knob\$2))) and (interchang\$5 or switch\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 20:03
569	567	(microscop\$ with ((stage\$3 or assembl\$3 or platform\$3) with (driv\$4 or adjust\$4 or manual\$ or mechanism\$2 or knob\$2))) and ((interchang\$5 or switch\$4) with (driv\$4 or adjust\$4 or manual\$ or mechanism\$2 or knob\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 10:56
S70	222	S69 and screw\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 20:04
571	66	(microscop\$ with ((stage\$3 or assembl\$3 or platform\$3) with (driv\$4 or adjust\$4 or manual\$ or mechanism\$2 or knob\$2))) and ((interchang\$5 or switch\$4) with (driv\$4 or adjust\$4 or manual\$ or mechanism\$2 or knob\$2)) and (righthand\$2 or right?hand\$2 or (right near3 hand\$2)) and (lefthand\$2 or left?hand\$2 or (left near3 hand\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 10:58